

Biodyne B Membrane

Catalog No.

60-00-50

Size

20 cm x 1 m



DESCRIPTION

Biodyne B Membrane, manufactured by Pall Life Science, is composed of Nylon 6,6 on an integral non-woven polyester support. The cationic pore surfaces contain a high density of quaternary ammonium groups. The membrane is resistant to heat and solvents, and may undergo multiple rounds of hybridization without shrinking, tearing, or cracking.

FORM/STORAGE

Biodyne B Membrane is positively charged and has a pore size of 0.45 μm . Store at room temperature in a dry place.

APPLICATIONS

Positively-charged Biodyne B Membrane may be used for the strong ionic binding of negatively charged nucleic acids or proteins in such protocols as Southern, Northern, Western, or dot blotting.

USE

Biodyne B Membrane should be handled at the corners with forceps. The membrane should be cut with sharp scissors, a sharp, clean scalpel, or a razor blade.

KPL recommends treating the membrane in the following manner prior to transfer of nucleic acid or protein:

1. Wet the membrane in molecular biology grade water 5 minutes.
2. Equilibrate the membrane in 10X SSC, 10X SSPE or other appropriate buffer for 30 minutes.
3. Use damp membrane for transfer applications. Allow membrane to dry before using for dot blots.
4. Following transfer, nucleic acids may be fixed to Biodyne B Membrane either by baking at 80°C for 30 minutes or by UV crosslinking.

REFERENCES

Nucleic acid transfer:

Sambrook, J., Fritsch, E. F., Maniatis, T. (1989). *Molecular Cloning: A Laboratory Manual, 2nd Edition*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.

Ausubel, R. et al., (eds.) *Current Protocols in Molecular Biology*. John Wiley and Sons, N.Y.

Reed, K. C., Mann, D.A. (1985). Rapid transfer of DNA from agarose gels to nylon membranes. *Nucleic Acids Research* 13, 7207-7221.

Protein transfer:

Gooderham, K. (1983). Protein Blotting in *Techniques in Molecular Biology*. J. Walker, W. Gaastra (eds.), Croom Helm Ltd. London.

RELATED PRODUCTS

DNADetector™ HRP Chemiluminescent Blotting Kit	54-30-00
RNA Detector™ AP Chemiluminescent Blotting Kit	54-30-01
20X SSC	50-86-05
Membrane Hybridization Buffer	50-86-08
Formamide Hybridization Buffer	50-86-10
Detector Block	71-83-00
Biotin Wash Solution	50-63-06
Herring Sperm DNA	60-00-14
Hybridization Bags	60-00-51

PRODUCT SAFETY AND HANDLING

This product is considered non-hazardous as defined by the Hazard Communication Standard (29 CFR 1910.1200). Avoid contact with skin and eyes. In case of contact or spillage, clean with copious amounts of water. Dispose of via sanitary sewer.

The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Nothing disclosed herein is to be construed as a recommendation to use this product in violation of any patents. The information presented above is believed to be accurate. However, said information and product are offered without warranty or guarantee since the ultimate conditions of use and the variability of the materials treated are beyond our control. We cannot be responsible for patent infringements or other violations that may occur with the use of this product. No claims beyond replacement of unacceptable material or refund of purchase price shall be allowed. All claims regarding product performance must be made within 30 days following date of delivery.

Limited Use License

The purchase of this product conveys to the buyer the non-transferable right to use the product in research conducted by the buyer. The buyer cannot sell or otherwise transfer this product or materials made by use of this product to a third party or otherwise use this product or materials made with this product for Commercial Purposes without written approval of KPL, Inc. For additional information, please visit www.kpl.com or the KPL catalog. To obtain a license or approval to use this product for purposes other than those permitted above, contact Director of Sales at (301) 948-7755.